

NEW PRODUCTS BOOK



JAN 20

1 18v LXT Impact Driver



2 18v LXT Brad Nailer



3 18v LXT Brushless Rivet Guns



4 AWS Bluetooth Adaptor



5 (36v) Twin 18v Brushless L Class Dust Extractor



6 14.4v LXT Brushless Impact Wrench



7 14.4v LXT Brushless Impact Driver



8 18v LXT 2 Piece Kit



9 18v & 14.4v LXT Heated Blanket



10 12v Max CXT Ratchet Wrench



**11 DAB & DAB+ Job Site Radio
(with Bluetooth)**



12 Combi Drill



13 Drill Driver



14 16g Brad Nailer



**15 (36v) Twin 18v LXT
Brushless Brush Cutter**



16 18v LXT Brushless Blower



17 (36v) Twin 18v LXT Pruning Shears



18 Electric Lawnmower



19 Electric Lawnmower





Specifications

<i>Machine Screw</i>	<i>M4-M8</i>
<i>Standard Bolt</i>	<i>M5-M14</i>
<i>High Strength Bolt</i>	<i>M5-M12</i>
<i>Coarse Thread Screw</i>	<i>22-125mm</i>
<i>Impacts per Minute</i>	<i>0-3,000ipm</i>
<i>No Load Speed</i>	<i>0-2,500rpm</i>
<i>Max Tightening Torque</i>	<i>155Nm</i>
<i>Net Weight</i>	<i>1.3-1.6kg</i>

DTD156Z (Body Only)

18v LXT Impact Driver

Features & Benefits

- Electric brake
- Variable speed trigger
- Forward & reverse rotation
- LED job light
- Ergonomically designed handle with rubberised soft grip
- Aluminium hammer case



Standard Equipment: Belt clip

LITHIUM-ION

DFN350ZJ (Body Only)

18v LXT Brad Nailer

Features & Benefits

- Driving depth adjustment
- Anti dry-fire mechanism
- Trigger lock
- LED job light
- Contact arm mechanism
- Contact tip designed for easy nail placement
- Anti-slip contact tip: grips work piece firmly regardless of the position of the contact tip
- Slim nose adapter with a narrow tip width: can be inserted into up to 6mm wide groove of baseboard

Standard Equipment: Safety goggles, nose adapter, hex wrench, belt clip, carry case.

LITHIUM-ION



2

Specifications

<i>Nail Type</i>	<i>Brad Nail</i>
<i>Nail Length</i>	<i>15 – 35mm</i>
<i>Nail Gauge</i>	<i>18Ga</i>
<i>Magazine Capacity</i>	<i>100pcs</i>
<i>Net Weight</i>	<i>2.1-2.4kg</i>

DRV150Z (Body Only) DRV250Z (Body Only)

18v LXT Brushless Rivet Gun

Features & Benefits

- Brushless motor
- Electric brake
- LED job light
- Compatible with various sizes of blind rivets: A wide range of nose pieces and jaw pushers allow for tightening various sizes of blind rivets
- Rivet holding mechanism: Once a rivet is installed, it is held in place and will not drop out even when the tool is directed downward.
- High speed tightening

Standard Equipment: Hook, grease, accessory set

LITHIUM-ION **BL**
MOTOR



3



Specifications

	DRV150Z	DRV250Z
Pulling Force	10kN	20kN
Stroke	25mm	30mm
Rivet Diameter	2.4-4.8mm	4.8-6.4mm
Net Weight	1.9-2.2kg	2.1-2.4kg

199804-6 (for 240v) **191A40-6** (for 110v)

WUT02U - AWS Bluetooth Adaptor

Features & Benefits

- Connect Makita AWS bluetooth tools to any dust extractor with power take off



4

Specifications - DVC154 & DVC153

<i>Tank Capacity</i>	15L
<i>Suction Power</i>	90W
<i>Max Sealed Suction</i>	9.8 kPa
<i>Max Air Flow</i>	2.1 m³/min
<i>Net Weight</i>	8.0-8.6 kg

DVC154LZ (Body Only - AWS) **DVC153LZ** (Body Only)

(36v) Twin 18v Brushless L Class Dust Extractor

Features & Benefits

- Dry type dust extractor
- Variable suction power
- Large On-Off switch
- HEPA filter with high filtration
- Automatic self-cleaning filter
- Large rubber bumpers
- Auto-start Wireless System (AWS) - DVC154LZ Only
- Compatible with commercially available plastic bags



Standard Equipment: Nozzle assembly, 3.5m x 28mm hose, 2.5m x 38mm hose, front cuffs, plastic dust bag, straight pipe, bent pipe, corner nozzle, tool box, stopper

5



DTWA070Z (Body Only) **DTWA100Z** (Body Only)
DTWA140Z (Body Only) **DTWA190Z** (Body Only)

14.4v LXT Brushless Impact Wrench

- Electric brake
- Brushless motor
- Variable speed trigger
- Constant speed control
- Forward & reverse rotation
- LED job light
- Automatic battery shut-off system
- Compatible with Poka-yoke
- Colour coded plates
- Automatic impact stop system
- Maintenance alarm
- Two ball bearings in the newly designed hammer case hold the anvil



6

LITHIUM-ION **BL**
MOTOR

Specifications

	DTWA070Z	DTWA100Z	DTWA140Z	DTWA190Z
No Load Speed	0-2,500rpm	0-2,700rpm	0-2,700rpm	0-2,600rpm
Impacts per min	0-3,700ipm	0-3,300ipm	0-3,300ipm	0-3,000ipm
Shanks	3/8" Square	3/8" Square	1/2" Square	1/2" Square
Max. Torque	65Nm	95Nm	140Nm	185Nm
Standard Bolt	M5-M12	M5-M12	M6-M16	M8-M16
High Str. Bolt	M5-M10	M5-M10	M6-M12	M8-M14
Net Weight	1.1-1.4kg	1.2-1.5kg	1.2-1.5kg	1.3-1.6kg

DTWA040Z (Body Only) **DTDA070Z** (Body Only) **DTDA140Z** (Body Only)

14.4v LXT Brushless Impact Driver

- Electric brake
- Brushless motor
- Variable speed trigger
- Constant speed control
- Forward & reverse rotation
- LED job light
- Automatic battery shut-off system
- Compatible with Poka-yoke
- Colour coded plates
- Automatic impact stop system
- Maintenance alarm
- Two ball bearings in the newly designed hammer case hold the anvil



7

LITHIUM-ION **BL**
MOTOR

Specifications

	DTDA040Z	DTDA070Z	DTDA140Z
No Load Speed	0-2,400rpm	0-2,500rpm	0-2,700rpm
Impacts per Min	0-3,700ipm	0-3,700ipm	0-3,300ipm
Shank	1/4" Hex	1/4" Hex	1/4" Hex
Max. Torque	35Nm	65Nm	140Nm
Standard Bolt	M5-M10	M5-M12	M6-M16
Sign Str. Bolt	M5-M8	M5-M10	M6-M12
Net Weight	1.1-1.4kg	1.1-1.4kg	1.2-1.5kg



Specifications

<i>Combi drill</i>	<i>DHP482</i>
<i>Impact driver</i>	<i>DTD152</i>
<i>Charger</i>	<i>DC18RC</i>

DLX2131TJ (2x 18V 5.0Ah)

18v LXT 2 Piece Kit

Features & Benefits

- Makpac stacking case
- Fast charger
- 2x 5.0Ah Batteries



8

Standard Equipment: Fast charger, battery cartridges, carry case



Specifications

Heat Zones	1
Heat Level Settings	3
Run Time with 18V 6.0Ah:	Low 35 Hours Medium 20 Hours High 10 Hours
Net Weight	0.58kg



DCB200B (Body Only)

18v & 14.4v LXT Heated Blanket

Features & Benefits

- On & off heat controller with LED indicator
- Polyester shell with soft polyester faux fur lining
- Machine-washable & dryable
- Blanket size: 1.4m x 0.7m
- Battery pocket
- Snap buttons and draw cord



Standard Equipment: Battery holder, storage bag, extension cord

LITHIUM-ION

Specifications

No Load Speed	0-800rpm
Flats Width	13mm
Driving Shank	3/8" Square 1/4" Square
Max. Fastening Torque	47.5Nm
Standard Bolt	M5-M12
High Strength Bolt	M5-M10
Net Weight	1.0-1.2kg

WR100DZ (Body Only)

12v Max CXT Ratchet Wrench

Features & Benefits

- Variable speed trigger
- Electric brake
- Forward & reverse
- LED job light
- 6.35mm (1/4") square drive & 9.5mm (3/8") square drive
- By removing the socket adapter you can be convert into a pass-through ratchet wrench

10

Standard Equipment: Socket adapter, tool bag

LITHIUM-ION **CXT**



DMR115

DAB & DAB+ Job Site Radio (with Bluetooth)

Features & Benefits

- AC or DC Power
- AC adaptor jack
- AUX-IN
- DAB & DAB+ Radio Stations
- Bluetooth version 5.0 (class 2)
- 6x Selectable sound modes
- My Equaliser (MY EQ) Mode
- USB port for charging devices
- Multi-Amplifier system
- Midrange and treble speakers with a sound woofer



11

Standard Equipment: AC power adapter

LITHIUM-ION

CXT

LXT

DAB
Digital Audio Broadcasting

DAB+
Digital Audio Broadcasting



Specifications

Range FM	87.5-108 Mhz
Range DAB/DAB+	Band III 5A-13F
Speakers	2x 63.5mm Ø 1x 101.6mm Ø
Practical output	12Vmax: 2W(x2) + 10W 14.4V: 3W(x2) + 15W 18V: 5W(x2) + 25W
Net Weight	4.8-5.5kg





Specifications

<i>Input Wattage</i>	320W
<i>Max. in Steel</i>	10mm
<i>Max. in Wood</i>	28mm
<i>Max. in Masonry</i>	8mm
<i>Max. Torque (S/H)</i>	21/56Nm
<i>Chuck Capacity</i>	1 – 10mm
<i>Blows per Min</i>	0-6,750/0-22,500 bpm
<i>No Load Speed</i>	0-450/0-1,500rpm
<i>Torque Settings</i>	20 + Drill
<i>Net Weight</i>	1.3kg

HP0300 (110v & 240v)

Combi Drill

Features & Benefits

- Variable speed trigger
- Mechanical 2-speed control
- Forward & reverse
- 2.5m power supply cord
- Keyless Drill Chuck
- Ergonomically designed soft grip
- Lock-on switch



Specifications

<i>Input Wattage</i>	320W
<i>Max. in Steel</i>	10mm
<i>Max. in Wood</i>	28mm
<i>Max. Torque (S/H)</i>	21/56Nm
<i>Chuck Capacity</i>	1 – 10mm
<i>No Load Speed</i>	0-450/0-1,500rpm
<i>Torque Settings</i>	20 + Drill
<i>Net Weight</i>	1.2kg



DF0300 (110v & 240v)

Drill Driver

Features & Benefits

- Variable speed trigger
- Mechanical 2-speed control
- Forward & reverse
- 2.5m power supply cord
- Keyless Drill Chuck
- Ergonomically designed soft grip
- Lock-on switch



AF601

16g Brad Nailer

Features & Benefits

- Contact trip & Sequential
- Tool-less depth adjustment
- Anti dry-fire mechanism
- Body bumper
- Tool-less nail jam clearing
- Joist hook
- Nail qty window
- Air duster function
- Easy-to-see slim nose



14

Standard Equipment: Safety goggles, oil supply, nose adapter



Specifications

Nail Type	Brad Nail
Nail Length	25-64mm
Nail Gauge	16Ga
Magazine Capacity	100 nails
Operating Pressure	70-120 PSI 4.9-8.2 bar
Net Weight	1.7kg

DUR368AZ (Body Only)

(36v) Twin 18v LXT Brushless Brush Cutter

Features & Benefits

- Overload protection
- Electric Brake
- Electronic 3-speed selection
- Soft Start
- Constant Speed Control
- Reverse switch
- Dual battery fuel gauge
- Low noise
- Brushless Motor
- Active Feedback sensing Technology (AFT)
- Automatic Torque Drive Technology

Standard Equipment: Safety goggles, nylon cutting head, accessory bag, hex wrench, box driver, shoulder belt.

15

LITHIUM-ION **18v + 18v** **36v** **BL MOTOR** **AFT ADT**

Specifications

Speed Settings	3-speed + ADT mode
No Load Speed (L/M/H)	3,500/5,300/6,500rpm
Spindle Size	M10 x 1.25L
Cutting Diameter	350mm (Nylon line head)
Net Weight	4.1-4.7kg

DUB184Z (Body Only)

18v LXT Brushless Blower

Features & Benefits

- Variable speed control
- Brushless motor
- Lock-on function
- Cruise control function
- Constant speed control
- Best grip-to-frame angle



Standard Equipment: Shoulder belt, nozzle, hex wrench

16

LITHIUM-ION

BL MOTOR



Specifications

No Load Speed	0-18,000rpm
Max. Air Volume	13.0 m³/min
Max. Air Velocity	52.1 m/s
Run time (6.0Ah)	12mins
Net Weight	2.5-3.0kg

DUP362Z (Body Only)

(36v) Twin 18v LXT Pruning Shears

Features & Benefits

- High Torque
- Arm band and cord holder
- Overload protection.
- Motor protection circuit
- Twin LED battery fuel gauge
- Comfortable backpack harness
- 2-stage blade opening adjustment
- Blade can be interlocked with the trigger



17

Standard Equipment: Oil supply, wrench set, diamond file, cord holder, holster, harness, arm band, tool bag, shear blade

LITHIUM-ION 18v + 18v → **36v**



Specifications

Max Cutting Capacity	33mm
Max Blade Opening	54mm
Cutting Torque	250N
Net Weight	3.3-3.9kg

ELM3320X

Electric Lawnmower

Features & Benefits

- Series motor
- Recommended for lawns up to 400m²
- Grass guides on both sides of the deck
- Grass box with grass level indicator
- D-shaped cutting height adjusting lever
- Single lever cutting height adjustment

Standard Equipment: Wrench



18

Specifications

<i>Input Wattage</i>	1,200W
<i>No Load Speed</i>	3,400rpm
<i>Cutting Width</i>	33cm
<i>Cutting Heights</i>	3 settings: 20-55mm
<i>Collection Box</i>	30L
<i>Net Weight</i>	10.2kg



ELM3720X

Electric Lawnmower

Features & Benefits

- Series motor
- Recommended for lawns up to 500m²
- Grass guides on both sides of the deck
- Grass box with grass level indicator
- D-shaped cutting height adjusting lever
- Single lever cutting height adjustment

Standard Equipment: Wrench



19

Specifications

Input Wattage	1,400W
No Load Speed	3,400rpm
Cutting Width	37cm
Cutting Heights	3 settings: 20-55mm
Collection Box	40L
Net Weight	11.6kg



The New Range of Makita Hand Tools

Supplying the UK trade since 1972



Wrenches, Ratchets, Sockets, Pliers, Knives, Snips,
Tap & Dies, Hammers, Tape Measures, Hex Keys,
Screwdrivers and more.



Makita®

For more information and to see our full range of Makita hand tools visit our website or look for the hand tools booklet: **www.makita.co.uk**



Makita[®]

Makita UK LTD
Michigan Drive
Tongwell
Milton Keynes
MK15 8JD

www.makita.co.uk

VAT calculated at 20% subject to change.

Accessories shown are not necessarily supplied as standard equipment. Prices and specification shown may change owing to our policy of constant improvement. Subject to availability. E&OE.